

গণপ্রজাতন্ত্রী বাংলাদেশ সরকার
সরঞ্জাম নিয়ন্ত্রক, পশ্চিম এএর কার্যালয়
বাংলাদেশ রেলওয়ে, রাজশাহী।



ফোনঃ +৮৮০৭২১-৭৬১৯৫৫, ইমেইলঃ cosw@railway.gov.bd.

নং-সিওএস/ই-জিপি/২০২০-০৫

তারিখঃ- ১৪/১০/২০২০ ইং

ই-জিপি টেন্ডার নোটিশ

সরঞ্জাম নিয়ন্ত্রক, পশ্চিম, রাজশাহী কর্তৃক National Electronic Government Procurement Portal (<http://www.eprocure.gov.bd/>) এ নিম্নবর্ণিত দরপত্র আহ্বান করা হয়েছে।


SL. No.	ID. Reference No. Tender/ Proposal Status	Procurement Nature, Title	Ministry, Division, Organization, PE	Type, Method	Publishing & Closing Date
1.	ID. No. 499946 e-Tender/STR/P2/ HD/2020/26/SR	LED Surface panel light square single phase 230 V.AC± 5% 50 Hz super Bright Cool White LED 1800 lumen	Ministry of Railways, Bangladesh Railway, Office of the controller of Stores-West, Rajshahi.	NCT, OTM	11-Oct-2020 10:00, 28-Oct-2020 11:00
2.	ID. No. 502894 e-Tender/STR/P2/ HB-2/2020/21/REQN	1. Expansion Valve. Part No. UL2001126. 2. Dryer, Refrigerant Filter Drier, Part No. 083, No. 0.074L Net (7.5 OZ), HCFC/HFC/CFC, MWP610PSIG/ 4ZB, Temp: 160F/70C. Made in Mexico.	Ministry of Railways, Bangladesh Railway, Office of the controller of Stores-West, Rajshahi.	NCT, OTM	11-Oct-2020 12:00, 28-Oct-2020 12:00
3.	ID. No. 503681 e-Tender/STR/P2/ HB-2/2020/23/REQN	1. OVR (Over voltage relay) OVR FOR BRUSHLESS ALTERNATOR, Input 750V, BHEEL ELECTRICAL MACHINES LTD. KASARAGODI. 2. MMR (Measuring & monitoring relay) Mollification 3 Phase RMS monitoring L1, 2,3 3-530-820V. 40 /60Hz, 0.1S-30S. 1 the 4A L1 up 8KV/4KV, AC 15: 230V, 3A DC 15: 24V, 2A, ABB STOTZKONTAKT, GmbH, Eppelheimer StraBe e 82, D-69/23 Heidelberg road instruction sheet (SVC730530 MOODO www.abb.com , IEC/EN60256-1, IEC/EN 60947-5-1, GB14048.5	Ministry of Railways, Bangladesh Railway, Office of the controller of Stores-West, Rajshahi.	NCT, OTM	11-Oct-2020 12:30, 28-Oct-2020 13:00
4.	ID. No. 503930 e-Tender/STR/P2/ HB-2/2020/15/REQN	1. Lead acid battery (Mono block) Screw Post 12 volts, Capacity:120 Ah (@20Hr), No. of plate per cell: 21 plates, Container Type: poly propylene container. Dimension (Minimum) (LxWxH) = 500mm x 180mm x 236 mm. The battery should have an easy Carrying arrangement and necessary electrode should be supplied in separate container. Battery should be suitable for automotive application for starting of 50 KW Diesel Engine. Manufacturer's Original Operation & Maintenance manual indication list of battery charging and discharging characteristic should be attached with the supplied batteries (One set for each 10 Nos batteries). Each battery should be supplied with serial numbered & batch number embossed on the battery. Warranty period should be minimum 18 (eighteen) month's from the date of commissioning of the battery. Brand: LUCAS, Made by Rahim Africa Bangladesh Ltd. or Equivalent	Ministry of Railways, Bangladesh Railway, Office of the controller of Stores-West, Rajshahi.	NCT, OTM	11-Oct-2020 16:00, 29-Oct-2020 11:00

(Contd on p 2)

1	2	3	4	5	6
		<p>2. Lead acid battery (Maintenance free black) Screw Post 12 volts Capacity: 150 AH (@ 20Hr), No. of plate per cell: 25 plates. Container Type: poly propylene container. Dimension (Minimum (LxWxH) =504mm x220mm x 250mm. The battery should have an easy carrying arrangement and necessary electrolyte should be supplied in separate container. Battery should be suitable for automotive application like starting of 50 KW Diesel Engine. Manufacturer's Original Operation & Maintenance manual indicating life of battery charging and discharging characteristics should be attached with the order as well as with the supplied batteries (One set for each 10 Nos batteries). Each battery should be supplied with serial numbers & batch number embossed on the battery. Warranty period should be minimum 18 (eighteen) months from the date of commissioning of the battery. Brand LUCAS (GIGA), Made by Ram Afrooze Bangladesh Ltd. Or Equivalent</p>			
5.	<p>ID. No. 504981 e-Tender/STR/P2/ HA-2/2020/39/REQN</p>	<p>1. Compressor cooling capacity-42000 BTU per hour power consumption-3500-2900 watt $\pm 21\%$; current-15 Amps $\pm 25\%$, 380-420 Volts Phase 50 Hz, LRA 1-Block 60 Amps, I-OPER MAX. 12.4, WR-2.75 Copeland/Bristol/Hermisson or Equivalent, Scroll type, Model-ZR61KC-TFD-522, Serial-16B5873JT, Hermetic piston compressor, Producer Copeland, EMERSON ELECTRIC LTD, Made in Thailand Part No. UL1800149.</p> <p>2. Compressor cooling capacity-24000 BTU per hour power consumption-3500-2900 watt $\pm 20\%$ current-13.5 Amps $\pm 25\%$ 230 VAC 1 Phase 50 HZ of Copeland/Bristol/Hermisson or equivalent Scroll type Model-ZR32 K3-PFJ or KCI reciprocating Model CR 30 K6-PFZ Hermetically Sealed.</p>	<p>Ministry of Railways, Bangladesh Railway, Office of the controller of Stores-West, Rajshahi.</p>	<p>NCT, OTM</p>	<p>14-Oct-2020 10:00, 29-Oct-2020 11:30</p>

1	2	3	4	5	6
6.	ID. No. 505057 e-Tender/STR/P2/ HD/2020/32/SR	1. LED Bulb 9 watts E-27 type Screw Cap Brand super Star/Transtee or Equivalent 2. Plain annealed copper Wire PVC insulated flexible twisted two core cable nominal voltage 250/400 volts GR0.39 Sq mm 14/0.08 3 inch	Ministry of Railways, Bangladesh Railway, Office of the controller of Stores-West, Rajshahi.	NCT, OTM	14-Oct-2020 10:30, 29-Oct-2020 12:00

- বিঃদ্রঃ ১। শুধুমাত্র ই-জিপি সিস্টেমে নিবন্ধিত ও দরপত্রের Eligibility শর্তাবলী পূরণকারী সরবরাহকারীগণ দরপত্রে অংশগ্রহণ করতে পারবেন।
- ২। নিবন্ধিত ও আত্রহী দরদাতাগণ বিনা খরচে দরপত্র দেখতে পারবেন, তবে দরপত্রে অংশগ্রহণের জন্য দরপত্র দলিল ও দরপত্র জামানত বাবদ অর্থ নির্ধারিত ব্যাংকে জমা করতে হবে।
- ৩। পর্যায়ক্রমে সকল দরপত্র পদ্ধতির ক্ষেত্রে ই-জিপি সিস্টেম ব্যবহার করা যাবে। তালিকাভুক্ত সকল দরদাতাগণকে অবিলম্বে ই-জিপি সিস্টেমে তথা National Electronic Government Procurement Portal (<http://www.eprocure.gov.bd/>) তে নিবন্ধিত হওয়ার জন্য অনুরোধ করা হল।


14/10/2020
(প্রকৌঃ মুহাম্মদ রাশেদুল আমিন)
সরঞ্জাম নিয়ন্ত্রক, পশ্চিম
বংলাদেশ রেলওয়ে, রাজশাহী।